



# Genetic analysis of temperament data of Goettingen minipigs

*F. Köhn, A. R. Sharifi, H. Simianer*

Institute of Animal Breeding and Genetics, University of Goettingen,  
Germany

Email-adress: [fkoehn@gwdg.de](mailto:fkoehn@gwdg.de)

26<sup>th</sup> August 2008

EAAP 2008, Vilnius, Session 25

Abstract no. 3440

# The Goettingen minipig



- Development in 1960's in Göttingen



59 % Vietnamese Potbellied Pig



33 % Minnesota minipig

8 % German Landrace



→ Miniature breed for medical research

- High similarities to humans

- Cardio-vascular system
- Gastro-intestinal system
- Immune system
- Skin
- Organ sizes and weights → xenografting



- Use in pharmacology, toxicology, surgery,...

# Characteristics

- Adult body weight 35-45 kg [Bollen et al., 1998]
- 2 litters per sow and year
- 6.5 piglets per litter
- F less than 5%

[Bollen and Ellegaard, 1996]




- Weight, body condition and temperament are documented on a regular basis

# Why do we need calm temperament?

- Regular handling
- No struggles
- No fear
  - Easy treatments
  - no change in metabolism





# Materials and methods

- Temperament scores from 10,033 animals

| Situation             | Age (in mo) |   |   | Scores from<br>1 - aggressive<br>to<br>5 - gentle, calm |
|-----------------------|-------------|---|---|---|
|                       | 2           | 4 | 6 |   |
| Catching (C)          |             | x | x |   |
| Holding on arms (A)   | x           | x |   |   |
| Weighing (W)          | x           |   |   |   |
| Standing on table (T) |             | x | x |   |
| Walking on ground (G) | x           | x |   |   |

## Data structure

|                    | Trait |       |       |       |       |       |       |       |       |
|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                    | A2    | W2    | A4    | T4    | C4    | G4    | T6    | C6    | G6    |
| n records          | 9,166 | 9,166 | 1,510 | 1,557 | 1,559 | 1,556 | 1,116 | 1,173 | 1,174 |
| Mean               | 3.37  | 3.34  | 3.25  | 3.08  | 3.02  | 3.14  | 3.22  | 3.08  | 3.18  |
| Standard deviation | 0.74  | 0.66  | 0.63  | 0.72  | 0.64  | 0.60  | 0.70  | 0.71  | 0.60  |

→ only 6.74 % of the animals had scores in all nine traits!

- Estimation of genetic parameters with bivariate animal models:

- Fixed effects:

sex

unit

birth month

birth year

- Random effects:

litter

animal


residual

# Selection scenarios

|          |                 | Traits |    |    |    |    |    |    |    |    |
|----------|-----------------|--------|----|----|----|----|----|----|----|----|
| Scenario |                 | W2     | A2 | A4 | T4 | C4 | G4 | T6 | C6 | G6 |
| S1       | Selection index | x      | x  | x  | x  | x  | x  | x  | x  | x  |
|          | Breeding goal   | x      | x  | x  | x  | x  | x  | x  | x  | x  |
| S2       | Selection index | x      | x  | x  |    |    |    |    |    |    |
|          | Breeding goal   | x      | x  | x  | x  | x  | x  | x  | x  | x  |
| S3       | Selection index | x      | x  | x  |    |    |    |    |    |    |
|          | Breeding goal   |        | x  | x  |    |    |    |    |    |    |
| S4       | Selection index |        | x  | x  |    |    |    |    |    |    |
|          | Breeding goal   |        | x  | x  |    |    |    |    |    |    |

# Results and discussion – $h^2$ , $r_g$ , $r_p$

| Trait | W2    | A2    | A4    | T4    | C4    | G4    | T6    | C6    | G6    |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| W2    | 0.147 | 0.900 | 1.000 | 0.911 | 0.801 | 0.897 | 1.000 | 1.000 | 1.000 |
| A2    | 0.642 | 0.140 | 1.000 | 0.735 | 0.740 | 0.672 | 1.000 | 1.000 | 0.988 |
| A4    | 0.166 | 0.133 | 0.120 | 0.814 | 0.680 | 0.762 | 0.913 | 0.444 | 0.473 |
| T4    | 0.337 | 0.166 | 0.480 | 0.216 | 0.878 | 1.000 | 0.655 | 0.817 | 0.840 |
| C4    | 0.172 | 0.102 | 0.498 | 0.449 | 0.173 | 1.000 | 1.000 | 1.000 | 0.478 |
| G4    | 0.117 | 0.106 | 0.445 | 0.461 | 0.487 | 0.105 | 1.000 | 0.821 | 0.765 |
| T6    | 0.395 | 0.247 | 0.304 | 0.581 | 0.308 | 0.277 | 0.109 | 0.999 | 1.000 |
| C6    | 0.186 | 0.144 | 0.309 | 0.315 | 0.490 | 0.251 | 0.462 | 0.089 | 0.560 |
| G6    | 0.119 | 0.124 | 0.331 | 0.390 | 0.378 | 0.365 | 0.507 | 0.525 | 0.132 |



# Conclusions

- $h^2$  values enable breeding for calm minipigs
- High number of missing values and scoring system  
→ need for new evaluation system
- Difference between responding and non-responding pigs!!
- Different scoring system to facilitate statistical analyses



We are grateful for financial  
support from



**Thank you for your  
attention!**