



Splitting breeding goals and breeding programs: The example of Oldenburg

K. Schöpke and H. H. Swalve

e-mail: kati.schoepke@landw.uni-halle.de
hermann.swalve@landw.uni-halle.de
Theodor-Lieser-Str. 11, 06120 Halle/ Saale, Germany





Introduction



- Oldenburger horse breeders society (since 1923)




- Springpferdezuchtverband (Show jumping assoc.) Oldenburg-International (since 2001)



Background



work together in close cooperation



partially deviant breeding goals and breeding programs



athletes for all disciplines
in top-class equitation




breeding top quality
show jumpers

- ➔ Analysis of the breeding strategies
- ➔ Consequence of the specialisation



Database

Results of the national estimation of breeding values 2007
for Oldenburg broodmares



5,455 mares from
Oldeburger horse
breeders society

descending from 1,340
different stallions
(\varnothing 4.1 female offspring)



884 mares from
Springpferdezuchtverband
Oldenburg-International

descending from 477
different stallions
(\varnothing 1.8 female offspring)



Material

Performance data

- Show jumping and dressage competitions
- Show jumping and dressage of young horses' competitions
- Mare performance test / Ability test of young stallions
- Performance test of stallions

Information

- Own performance
- Pedigree performance

Structure

- 2 total merit indices
- 8 part indices
- 15 individual breeding values



Mares' own performance

kind of test association	mare performance test	competition		young horses' competition	
	53.9 % (2,942)	15.7 % (855)	17.2 % (936)	14.0 % (762)	15.2 % (828)
	29.2 % (258)	9.4 % (83)	45.8 % (405)	6.0 % (53)	42.4 % (375)



Comparison of total merit indices

Total merit indices	n	\bar{x}	s	Min	Max
Dressage	5,455	102.38	19.0	47.0	169.0
Dressage	884	87.55	12.01	35.0	136.0
Show jumping	5,455	94.73	16.59	39.0	157.0
Show jumping	884	107.44	16.20	60.0	155.0



Comparison of total merit indices

Total merit indices	n	\bar{x}	s	Min	Max
Dressage	5,455	102.38	19.0	47.0	169.0
Dressage	884	7.55	12.01	35.0	136.0
Show jumping	5,455	94.73	16.59	39.0	157.0
Show jumping	884	107.44	16.20	60.0	155.0



Thresholds for top-quantiles

Total index Dressage	Quantile 25%	Quantile 10%	Quantile 5%	Quantile 1%
for published stallions '07	111	126	136	153
Oldenburger horse breeders society	<u>116</u>	<u>128</u>	135	146
Springpferdezuchtverband Oldenburg-International	95	103	107	117



Thresholds for top-quantiles





Total index Dressage	Quantile 25%	Quantile 10%	Quantile 5%	Quantile 1%
for published stallions '07	111	126	136	153
Oldenburger horse breeders society	<u>116</u>	<u>128</u>	135	146
Springpferdezuchtverband Oldenburg-International	95	103	107	117

Total index Show jumping	Quantile 25%	Quantile 10%	Quantile 5%	Quantile 1%
for published stallions '07	117	132	139	152
Oldenburger horse breeders society	106	117	124	137
Springpferdezuchtverband Oldenburg-International	<u>118</u>	129	135	142






Relative and absolute frequency for mares of both associations within the top-quantiles for published stallions 2007

○ = ■
S = ■





Genetic gain in total merit indices





Conclusions



Oldenburger horse breeders society

- a multiplicity of high-quality horses in both disciplines results from a wide base of broodmares
- the great variability of the broodmare population reflects the breeding strategy



Springferezuchtverband Oldenburg-International

- high concentration of top-class show jumpers
- very intensive and effective breeding program is feasible

- ➔ Essential structural differences
- ➔ Differing Management
- ➔ In both associations selection is successfull
- ➔ "Top-athletes" result from both strategies



Thank you for your attention !



Oldenburg filly from Daddy Cool, 2008

K. Schöpke and H. H. Swalve



60th Annual Meeting of the European Federation of Animal Science
Barcelona, Spain August 24-27, 2009. Session 19, Paper 10

